



# Gasoline Concrete Vibratory Screed



Concrete screed mainly be used for scraping of concrete ground surface, improve the density of concrete, suitable for levelling hardening of the ground. High speed and efficiency, easy for take. Strickling and vibrating finish together. Operator can adjust the impact force at any moment, manual accelerator controls vibrating frequency. Concrete surface after vibration, no need to sprinkle dry cement when press polish. It reduces the construction cost and repair frequency greatly.

## Product Parameters

<b>Model</b>	<b>CVS25</b>
Description	<b>Concrete Vibratory Screed</b>
Engine Model	Honda GX35
Engine Type	Air-cooled, 4-stroke single –cylinder OHC Petrol Engine
Bore x Stroke	39x30mm
Max Output	1.2(1.6) kw/(Hp)
Max Speed	5200 rpm
Starting System	Recoil Starter
Fuel Tank Capacity	0.63 L
Dry Weight (kg)	25 kgs
<b>Price for Concrete Vibratory Screed with 2meter blade</b>	
<b>Price for Bare Unit</b>	
1.8m / 6ft	
2.0m / 6.6ft	
2.4m / 7.8ft	
3.0m / 10ft	
<b>Warranty Service:</b>	
<ul style="list-style-type: none"> <li>• One (1) month for the original invoice date</li> <li>• Warranty is applied to products that have been, always, properly maintained and operated or used under normal operating conditions for which the product was designed.</li> <li>• The manufacturer warrants this product due to defective materials or workmanship.</li> </ul>	

# Product Detail Display

