



## KM 90/60 R P

A compact ride-on sweeper for medium to large area cleaning, with Honda petrol power for convenient, economical outdoor use.



### 1 Robust, compact design with pick-up area

- Built to last, highly reliable.
- Safety and manoeuvrability

### 2 EASY-Operation concept

- Logical and clear.
- All controls are clearly arranged and easy to access.

### 3 Large filter area with automatic filter cleaning system

- The filter is automatically cleaned when the machine is switched off - for continuous low-dust sweeping for long periods of uninterrupted use.
- Filter cleaning can also take place manually.

### 4 Optimal convenience of use

- Ergonomic workplace with individually adjustable driver's seat.



## KM 90/60 R P

- Compact and extremely manoeuvrable
- Ergonomic operating concept
- Floating main roller brush

### Technical data

<b>Order Number</b>	1.047-204.0	
<b>EAN code</b>	4039784468535	
<b>Drive</b>	4-stroke petrol engine / Honda	
<b>Drive - power</b>	<b>kW</b>	4,8
<b>Max. area performance</b>	<b>m<sup>2</sup>/h</b>	7200
	<b>m<sup>2</sup>/h</b>	9200
<b>Working width</b>	<b>mm</b>	615
<b>Working width with 1 side brush</b>	<b>mm</b>	900
<b>Working width with 2 side brushes</b>	<b>mm</b>	1150
<b>Waste container</b>	<b>l</b>	60
<b>Hill climbing ability</b>	<b>%</b>	18
<b>Operating speed</b>	<b>km/h</b>	8
<b>Filter area</b>	<b>m<sup>2</sup></b>	4
<b>Weight</b>	<b>kg</b>	220
<b>Dimensions (L x W x H)</b>	<b>mm</b>	1635 × 980 × 1260

### Equipment

Round polyester filter	■	Outdoor applications	■
Manual filter cleaning system	■	Operating hour meter	■
Automatic filter cleaning	■	Sweep function (can be switched off)	■
Traction drive	hydrostatic	Pneumatic wheels	■
Floating main roller brush	■	Side brush pneumatically controlled	■
Adjustable suction power	■		
Bulk waste flap	■		
Overthrow sweeping principle	■		
Travel drive - forward	■		
Travel drive, reverse	■		
Vacuum	■		

■ Included in delivery.

# KM 90/60 R P 1.047-204.0



		Order Number	Installation ex works	Length / width	Diame-ter	Price	Description	
<b>Round filter</b>								
Round filter	1	6.414-576.0					Synthetic filter, moisture-proof, washable, saves maintenance costs	■
<b>Standard main roller brushes</b>								
Reversing rolling mill complete KM 90 /6	2	4.762-430.0		615 mm	250 mm		Moisture-proof universal bristles, longlife, suitable for all surfaces	■
<b>Main roller brush, antistatic</b>								
Main roller brush, antistatic	3	4.762-441.0		615 mm	250 mm		For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	□
<b>Main roller brush - Soft/natural</b>								
Reversing rolling mill complete soft KM	4	4.762-442.0		615 mm	250 mm		Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	□
<b>Main roller brush, hard</b>								
Reversing rolling mill complete hard KM	5	4.762-443.0		615 mm	250 mm		For the removal of stubborn dirt outdoors	□

■ Included in delivery. □ Available accessories.

# KM 90/60 R P

## 1.047-204.0



		Order Number	Installation ex works	Length / width	Diame-ter	Price	Description	
<b>Standard side brushes</b>								
Side broom standard	1	6.906-132.0			420 mm		Moisture-proof universal bristles, longlife, suitable for all surfaces	■
<b>Side brush, hard</b>								
Side broom hard	2	6.905-625.0			420 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
<b>Side brush, soft</b>								
Side broom soft	3	6.905-626.0			420 mm		Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.	□

■ Included in delivery. □ Available accessories.

# KM 90/60 R P

## 1.047-204.0



		Order Number	Installation ex works				Price	Description	
<b>Other mounting kits</b>									
Spare tank	1	2.641-800.0	2.641-800.7					Conversion of the petrol tank, expanding the tank volume to 3 l	<input type="checkbox"/>
<b>Warning beacon</b>									
360° warning beacon	2	2.641-650.0	2.641-650.7					For increased safety	<input type="checkbox"/>
<b>Side brushes, left</b>									
Add-on kit side broom left KM 90/60 R	3	2.642-693.0	2.642-693.7					Side brush, complete, including standard side brush for increasing area performance.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.