

**Bishamon**<sup>®</sup>

*HAND PALLET TRUCK*

# **Blue Label**

*Top selling brand made in Japan*



PRODUCTS CATALOG

# Bishamon Blue Label pallet trucks provide -

High Standards and experienced Engineering provide superior Quality!

## Bishamon original strength

**Outstanding durability** : Adopted "High Tensile Steel" which is very light and strong for main body frame to enhance the durability.


**High durable cylinder** : Top quality own made piston cylinder is capable in frequent use and also it is hard to generate oil leakage with U-packing on seal part.

**Smooth maneuverability** : 2 pieces of Thrust Bearing on handle axle and own developed Polyurethane Wheels make its maneuverability ultimately light and easy.



## New Valuable Features

3 positions to control in operation



### ► Comfortable Molded Grip Handle

New molded handle design provides comfort and a strong grip.

### ► 3 Position Fingertip Control

3 position Control Lever provides easy fingertip control of complete hydraulic system.

## Standard Features



### ► Polyurethane Wheels

Aluminum hub steering wheels and aluminum hub fork(load) wheels are standard.

### ► Lead Free Paint

Bishamon pallet trucks are painted with environmentally friendly lead free paint.

## Optional Features



### ► Bogie Wheels

Bogie Wheels are standard with Model BM30



### ► Wheels

Nylon Wheels - available with Model BM20,25 and 30 incl. low profile model (65mm&50mm) as an option.



### ► Parking Brake coupling with foot guard



Brake lever




Drum brake

### ► Braking device

It can control the speed during driving by drum brake.

# Specifications of Standard and Special Spec Models



<b>a</b>	Standard Model	2,000 Kgs. Capacity	Fork M/M Height	80 mm
<b>b</b>	Special Width Model	2,000 Kgs. Capacity	Fork M/M Height	80 mm
<b>c</b>	Standard Model	2,500 Kgs. Capacity	Fork M/M Height	80 mm
<b>d</b>	Standard Low Profile Model	1,500 & 2,500 Kgs. Capacity	Fork M/M Height	65 mm
<b>e</b>	3 Ton Capacity Model	3,000 Kgs. Capacity	Fork M/M Height	83 mm
<b>f</b>	50 mm Low Profile Model	1,200 Kgs. Capacity	Fork M/M Height	50 mm

Model	Model No.	Capacity (Kgs.)	Fork Dimension							Wheel Material	Weight (Kgs.)
			A <sub>1</sub>	B <sub>1</sub>	D <sub>1</sub>	D <sub>2</sub>	A <sub>2</sub>	B <sub>2</sub>	B <sub>3</sub>		
			mm	mm	mm	mm	mm	mm	mm		
<b>e</b>	BM30L	3,000	520	1,150	83	203	214	995	740	V/V (Bogie Wheels)	105
	BM30LL		685	1,220							379

\* Wheel Material.....(Steering Wheel/Fork Wheel)  
Specifications are subject to change without notice.

V=Polyurethane, N=Nylon

18.08-5000AM

**SUGIYASU CORPORATION**

3-21, 4 Chome, Hongo-Cho, Takahama-City,  
Aichi Pref, Japan 444-1394  
Tel.0566-53-1862 • Fax.0566-53-1844  
E-Mail sugiyasu@bishamon.co.jp <http://www.bishamon.co.jp/en/>

Distributed By