



WCB Portable Electric Self Priming Oil Pump



WCB type belongs to low pressure micro portable energy saving oil transfer pump gear pump, the most suitable for no power supply of the oil drum shaft oil sale units, and can also be applied to oil refineries, power plants, power stations, substations (room) oil depots and oil. Thin oil lubrication system of dilute oil transshipment. Such as: conveyor lubrication oil, beverages, low corrosive water, etc., please choose a whole stainless-steel pump.

WCB Gear Oil Pump is a portable gear oil pump with small size, it can transfer diesel, biodiesel, kerosene, vegetable oil, hydraulic oil, motor oil etc..., if it is coupled with copper gear, it is suitable for gasoline transfer. The stainless-steel pump is fit for milk, drink, vegetable oil and some other food liquid transfer. According to customers' demand, the pump can connect bypass valve.

Product Parameters



Model	WCB-30	WCB-50	WCB-75	WCB-100
Flow rate (L/min)	30	50	75	100
Pressure (Mpa)	0.3	0.3	0.3	0.3
Oil absorption Height (M)	4	4	4	4
Rotating Speed (rpm)	2800	2800	2800	2800
Conveying Height (M)	30	30	30	30
Driving Power (W)	370	550	750	1100
Voltage (V)	220	220	220	220
Outlet (mm)	25	25	32	32/40
Material	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Application	Diesel, Gasoline, Engine Oil and Other Industrial Oils			
Food Grade Gear Pump				
Material	Stainless Steel			
Application	Except for industrial oil, also can extract soybean oil, peanut oil, daily cooking oil			

Product Detail Display

Full Copper Coil

