

WK-F13 Cement Mortar Spraying Machine



Application Material:

Thick fireproof paint, thin fireproof paint, surfactant mortar, putty, surfactant mortar, cement base ash, lime mortar, epoxy coating, adhesive, floor mortar, building glue, base coat etc.

Application:

Suitable for large residential, commercial, and industrial buildings, heavy anticorrosion engineering, fire protection engineering and various tunnel fire protection engineering, thick steel structure fire protection engineering etc. 5 Industrial hydraulic airless paint sprayers with piston pump

Advantages:

1. Painting uniformly and uniformly
2. High construction efficiency

3. Good spraying effect
4. High paint efficiency
5. Low paint bounce
6. Reasonable structure design

Model	WK-F13
Voltage	220V / 50Hz
Motor	Brushless
Electric Motor	3000W
Max Particle	3.5mm
Max Flow Rate	1-30 L/min
Max Working Pressure	25Kg
Horizontal Spraying	30M
Weight	70Kgs
Dimension	95*48*92 cm
Come with accessories. - 10-meter Rubber wire steel hose - 1 pc Grouting gun	
Warranty Service: • One (1) month for the original invoice date • Warranty is applied to products that have been, always, properly maintained and operated or used under normal operating conditions for which the product was designed. • The manufacturer warrants this product due to defective materials or workmanship.	







